



**Alberts**  
Allradtechnik

**VEHICLE  
CATALOG  
2024**



A blue Mercedes-Benz truck with a large camper shell is parked on a dirt road in a desert landscape. The truck is viewed from a front-quarter angle. The camper shell is dark blue and has several windows. The background shows a clear sky and a rocky hillside.

**40 SERIES** PAGE 3-6

**60 SERIES** PAGE 7-14

**65 SERIES** PAGE 15-18

**72 SERIES** PAGE 19-22

**82 SERIES** PAGE 23-36

**OPTIONAL EQUIPMENT** PAGE 37-43

**TECHNOLOGY AND DETAILS** PAGE 44-46



The Alberts 40 UQ4 is one of our smallest floor plans. Despite being a compact 5.99 meters long vehicle on a Mercedes Arocs 4x4 chassis, it contains everything needed for a long journey. Within its 4-meter length compartment, there is a U-shaped seating area for 4 people with a 1.3m x 2m overhead fold-down bed. The kitchen is equipped with a stove, oven, dishwasher, and large fridge/freezer combo. The bathroom in the front section is separated from the living area by a door. If needed, the seating area can be converted into a 1.4m x 2m bed, allowing accommodation for 4 people.

# ALBERTS

## 40 UQ4-4x4

1400mm X 2000mm

FROLI BED SYSTEM

A/C READY



400Ah LITHIUM BATTERIES

3,5kW INVERTER




500l FRESH WATER

140l BLACK WATER

140l GRAY WATER

CHASSIS	KEY DATA	BODY
4x4 Grounder chassis	Outer structure length: 4.000mm	Structure in 1.8mm GRP, multi-layered
S-Fahrerhaus Classic Space mit 2,3m Breite	Outer structure width: 2.500mm	Bottom thickness: 100mm
Wheelbase: 3,600 mm	Outer structure height: 2.300mm	Wall thickness: 60mm
Total weight: 18.0 t	Interior standing height: 2.000mm	Ceiling thickness: 60mm
Engine: 530 hp EuroVI	Total vehicle height without attachments: 4.000mm	100mm GRP angle with corner caps all around the outside
Mercedes PowerShift 3, 12-speed automatic, off-road mode	Total vehicle length without attachments: 5.990mm	PU foam insulation, cold bridges free, K value 0.045
3 x differential lock		Windows, doors and flaps with double lip seals from EW3
4 x wheels in snap ring rims 14.00R20 Terrain		Multiple locking with mushroom pins
1 x spare wheel in snap ring rim 14.00R20 Terrain		Stainless steel handles on windows, flaps and body door
Cab color: MB 9764 pearl silver metallic		K value glass 1.0
Color outer structure: MB 9764 pearl silver metallic		Outbound skylight with roller blind and fly screen
Color of attachments: jet black gloss		Windows in construction with roller blinds and fly screens
Rims: jet black		Construction door with fly screen and roller blind on the window
Diesel tank: 1 x 290		Structure on a galvanized four-point intermediate frame
Additional USB double socket		Electric stairs in storage box
Aluminum storage boxes mounted all around		
LIVING AREA	BATHROOM	KITCHEN
U-shaped seating group for 4 people	Corner shower with glass partition	Siemens refrigerator with freezer and app control
Quilted upholstery fabric (choice of 3 colors)	Rain shower with digital shower fitting	2-burner induction hob
TV preparation behind the bench	Ceramic water shredder toilet with bidet	Franke undermount sink with kitchen tap
Seating group can be converted into a bed (1,400mm x 2,000mm)	Ceramic countertop washbasin with faucet and base cabinet	Cupboard with storage space for a coffee machine
Seating group with passenger restraint system and three-point belt	Wall cabinet with mirror and LED lighting	Wall cabinets with LED lighting
Table height adjustable	Door to the living room with embedded mirror	Ceiling and walls covered with felt
Preparation for air conditioning	Radiator with towel rail	Flaps and drawers with soft close and electric locking
Wall cabinets with LED lighting	Ceiling and walls covered with felt	
Ceiling and walls covered in felt/fabric	Flaps and drawers with soft close and electric locking	
PVC floor covering throughout the vehicle (choice of 2 decors)		
Flaps and drawers with soft close and electric locking		
HEATING	WATER	ELECTRIC
Post Marine 7kW hot water, central heating boiler	Fresh water: 500 liters with pressure water pump	Mastervolt - CZone
Hot water radiators in the living area	Waste water: 140 liters, can be drained electrically	Monitoring and control via iPad and touchscreen
Electric heating under the mattress	Black water: 140 liters, can be drained electrically	2x lithium batteries - total 24V, 400 Ah
Electric underfloor heating		1 x inverter up to 3.5 kW 24V / 230 V voltage

## BASE CONFIGURATION 40 UQ4 4x4





Travel self-sufficiently and comfortably with the Alberts 60 UQX, thanks to its robust and off-road-tested 6-meter cabin on a Mercedes Arocs chassis.

# ALBERTS 60 UQX-4x4

2000 mm X 1500 mm

FROLI BED SYSTEM

A/C READY



400Ah LITHIUM BATTERIES

3,5kW INVERTER



600l FRESH WATER

90l BLACK WATER

140l GRAY WATER





CHASSIS	BODY	LIVING AREA
4x4 Grounder chassis	Outer structure length: 6.000mm	U-shaped seating group
S-Fahrerhaus Classic Space mit 2,3m Breite	Outer structure width: 2.500mm	Quilted upholstery fabric (choice of 3 colors)
Wheelbase: 4,800 mm	Outer structure height: 2.300mm	Seating group can be converted into a bed (1,400mm x 2,000mm)
Total weight: 18.0 t	Interior standing height: 2.000mm	Table height adjustable
Engine: 530 hp EuroVI	Total vehicle height without attachments: 3.800mm	Preparation for air conditioning
Mercedes PowerShift 3, 12-speed automatic, off-road mode	Total vehicle length without attachments: 8.100mm	Wall cabinets with LED lighting
3 x differential lock	Structure in 1.8mm GRP, multi-layered	Ceiling and walls covered in felt/fabric
4 x wheels in snap ring rims 14.00R20 Terrain	Bottom thickness: 100mm	PVC floor covering throughout the vehicle (choice of 2 decors)
1 x spare wheel in snap ring rim 14.00R20 Terrain	Wall thickness: 60mm	Flaps and drawers with soft close and electric locking
Cab color: MB 9764 pearl silver metallic	Ceiling thickness: 60mm	
Color outer structure: MB 9764 pearl silver metallic	100mm GRP angle with corner caps all around the outside	
Color of attachments: jet black gloss	PU foam insulation, cold bridges free, K value 0.045	
Rims: jet black	Windows, doors and flaps with double lip seals from EW3	
Diesel tank: 2x 290	Multiple locking with mushroom pins	
Additional USB double socket	Stainless steel handles on windows, flaps and body door	
Aluminum storage boxes mounted all around	K value glass 1.0	
	Outbound skylight with roller blind and fly screen	
	Windows in construction with roller blinds and fly screens	
	Construction door with fly screen and roller blind on the window	
	Structure on a galvanized four-point intermediate frame	
	Electric stairs in storage box	
SLEEPING AREA	BATHROOM	KITCHEN
Bed with 2000mm x 1500mm lying surface	Shower with glass partition	Siemens refrigerator with freezer and app control
Froli Mobil Plus mattresses	Rain shower with digital shower fitting	2-burner induction hob
Froli Star Mobile spring elements	Ceramic water shredder toilet with bidet	Stainless steel sink with kitchen tap
Bed cupboard with storage at the head end	Enamel sink with house water tap and base cabinet	Pharmacy cabinet, trash can in the pull-out
Preparation for air conditioning	Wall cabinet with mirror and LED lighting	Wall cabinets with LED lighting
Wall cabinets with LED lighting	Sliding door to the living room with embedded mirror	Ceiling and walls covered with felt
Ceiling and walls covered with felt	Ceiling and walls covered with felt	Flaps and drawers with soft close and electric locking
Flaps and drawers with soft close and pushlock locking	Flaps and drawers with soft close and electric locking	
HEATING	WATER	ELECTRIC
Post Marine 10kW hot water, central heating boiler	Fresh water: 600 liters with pressure water pump	Mastervolt - CZone
Hot water radiators in the living area	Waste water: 140 liters, can be drained electrically	Monitoring and control via iPad and touchscreen
Hot water towel radiator in the bathroom	Black water: 90liters, can be drained electrically	2x lithium batteries - total 24V, 400 Ah
Electric heating under the mattress		1 x inverter up to 3.5 kW 24V / 230 V voltage
Electric underfloor heating		

**BASE CONFIGURATION**  
**60 UQX**  
**4x4**





# ALBERTS 60 DQX-4x4

On a 6-meter cabin length, there is a dinette, a spacious bathroom with separate partition from the living area, and a 1.4m x 2m crosswise bed in the rear. If necessary, the seating area can also be converted into a bed, allowing accommodation for 4 people.

1400mm X 2000mm

FROLI BED SYSTEM

A/C READY



400Ah LITHIUM BATTERIES

3,5kW INVERTER




600l FRESH WATER

90l BLACK WATER

140l GRAY WATER

CHASSIS	BODY	LIVING AREA
4x4 Grounder chassis	Outer structure length: 6.000mm	Dinette for four people
S-Fahrerhaus Classic Space mit 2,3m Breite	Outer structure width: 2.500mm	Quilted upholstery fabric (choice of 3 colors)
Wheelbase: 4,800 mm	Outer structure height: 2.300mm	TV preparation on the cupboard
Total weight: 18.0 t	Interior standing height: 2.000mm	Seating group can be converted into a bed (1,400mm x 2,000mm)
Engine: 530 hp EuroVI	Total vehicle height without attachments: 3.800mm	Table height adjustable
Mercedes PowerShift 3, 12-speed automatic, off-road mode	Total vehicle length without attachments: 8.100mm	Wall cabinets with LED lighting
3 x differential lock	Structure in 1.8mm GRP, multi-layered	Ceiling and walls covered in felt/fabric
4 x wheels in snap ring rims 14.00R20 Terrain	Bottom thickness: 100mm	PVC floor covering throughout the vehicle (choice of 2 decors)
1 x spare wheel in snap ring rim 14.00R20 Terrain	Wall thickness: 60mm	Flaps and drawers with soft close and electric locking
Cab color: MB 9764 pearl silver metallic	Ceiling thickness: 60mm	
Color outer structure: MB 9764 pearl silver metallic	100mm GRP angle with corner caps all around the outside	
Color of attachments: jet black gloss	PU foam insulation, cold bridges free, K value 0.045	
Rims: jet black	Windows, doors and flaps with double lip seals from EW3	
Diesel tank: 2x 290	Multiple locking with mushroom pins	
Additional USB double socket	Stainless steel handles on windows, flaps and body door	
Aluminum storage boxes mounted all around	K value glass 1.0	
	Outbound skylight with roller blind and fly screen	
	Windows in construction with roller blinds and fly screens	
	Construction door with fly screen and roller blind on the window	
	Structure on a galvanized four-point intermediate frame	
	Electric stairs in storage box	
SLEEPING AREA	BATHROOM	KITCHEN
Bed with 2000mm x 1400mm lying surface	Shower with glass partition	Siemens refrigerator with freezer and app control
Froli Mobil Plus mattresses	Rain shower with digital shower fitting	2-burner induction hob
Froli Star Mobile spring elements	Ceramic water shredder toilet with bidet	Stainless steel sink with kitchen tap
Bed cupboard with storage at the head end	Ceramic countertop washbasin with faucet and base cabinet	Dish cupboard, trash can in the pull-out Drawer
Wall cabinets with LED lighting	Wall cabinet with mirror and LED lighting	Wall cabinets with LED lighting
Ceiling and walls covered with felt	Door to the living room with embedded mirror	Ceiling and walls covered with felt
Flaps and drawers with soft close and pushlock locking	Ceiling and walls covered with felt	Flaps and drawers with soft close and electric locking
	Flaps and drawers with soft close and electric locking	
HEATING	WATER	ELECTRIC
Post Marine 10kW hot water, central heating boiler	Fresh water: 600 liters with pressure water pump	Mastervolt - CZone
Hot water radiators in the living area	Waste water: 140 liters, can be drained electrically	Monitoring and control via iPad and touchscreen
Hot water towel radiator in the bathroom	Black water: 90liters, can be drained electrically	2x lithium batteries - total 24V, 400 Ah
Electric heating under the mattress		1 x inverter up to 3.5 kW 24V / 230 V voltage
Electric underfloor heating		

**BASE CONFIGURATION**  
**60 DQX**  
**4x4**





The Alberts 65UQX is an expedition vehicle with extensive standard equipment, specifically designed for adventure travel. With a cabin length of 6.5 meters, it provides ample space for all the necessary equipment and amenities needed on an expedition. The U-shaped seating area with adjacent kitchen and the additional roomy bathroom ensure comfort and convenience. For extended autonomy, the vehicle is equipped with an 800-liter fresh water tank and 400Ah batteries. Furthermore, the Alberts 65UQX comes with a variety of optional equipment, allowing everyone to create their ideal companion for demanding adventures.

# ALBERTS 65 UQX-4x4

1600mm X 2000mm

FROLI BED SYSTEM

A/C READY



400AH LITHIUM BATTERIES

3,5KW INVERTER



800L FRESH WATER

280L BLACK WATER

280L GRAY WATER





CHASSIS	BODY	LIVING AREA
4x4 Grounder chassis	Outer structure length: 6.500mm	U-shaped seating group
S-Fahrerhaus Classic Space mit 2,3m Breite	Outer structure width: 2.500mm	Quilted upholstery fabric (choice of 3 colors)
Wheelbase: 4,800 mm	Outer structure height: 2.300mm	TV preparation behind the longitudinal bench seat
Total weight: 18.0 t	Interior standing height: 2.000mm	Table height adjustable
Engine: 530 hp EuroVI	Total vehicle height without attachments: 3.800mm	Seating group can be converted into a bed (1,400mm x 2,000mm)
Mercedes PowerShift 3, 12-speed automatic, off-road mode	Total vehicle length without attachments: 8.600mm	Preparation for air conditioning
3 x differential lock	Structure in 1.8mm GRP, multi-layered	Wall cabinets with LED lighting
4 x wheels in snap ring rims 14.00R20 Terrain	Bottom thickness: 100mm	Ceiling and walls covered in felt/fabric
1 x spare wheel in snap ring rim 14.00R20 Terrain	Wall thickness: 60mm	PVC floor covering throughout the vehicle (choice of 2 decors)
Cab color: MB 9764 pearl silver metallic	Ceiling thickness: 60mm	Flaps and drawers with soft close and electric locking
Color outer structure: MB 9764 pearl silver metallic	100mm GRP angle with corner caps all around the outside	
Color of attachments: jet black gloss	PU foam insulation, cold bridges free, K value 0.045	
Rims: jet black	Windows, doors and flaps with double lip seals from EW3	
Diesel tank: 2x 290	Multiple locking with mushroom pins	
Additional USB double socket	Stainless steel handles on windows, flaps and body door	
	K value glass 1.0	
	Outbound skylight with roller blind and fly screen	
	Windows in construction with roller blinds and fly screens	
	Construction door with fly screen and roller blind on the window	
	Structure on a galvanized four-point intermediate frame	
	Electric stairs in storage box	
BATHROOM	SLEEPING AREA	KITCHEN
Corner shower with glass partition	Bed with 2000mm x 1500mm lying surface	Siemens refrigerator with freezer and app control
Rain shower with digital shower fitting	Froli Mobil Plus mattresses	2-burner induction hob
Ceramic water shredder toilet with bidet	Froli Star Mobile spring elements	Franke undermount sink with kitchen tap
Ceramic countertop washbasin with faucet and base cabinet	Bed cupboard with storage at the head end	Pharmacy cabinet, trash can in the pull-out
Wall cabinet with mirror and LED lighting	Wall cabinets with LED lighting	Wall cabinets with LED lighting
Wardrobe with niche for a small washing machine	Preparation for air conditioning	Ceiling and walls covered with felt
Sliding door to the living room with embedded mirror	Ceiling and walls covered with felt	Flaps and drawers with soft close and electric locking
Ceiling and walls covered with felt	Flaps and drawers with soft close and pushlock locking	
Flaps and drawers with soft close and electric locking		
HEATING	WATER	ELECTRIC
Post Marine 10kW hot water, central heating boiler	Fresh water: 800 liters with pressure water pump	Mastervolt - CZone
Hot water radiators in the living area	Waste water: 280 liters, can be drained electrically	Monitoring and control via iPad and touchscreen
Hot water towel radiator in the bathroom	Black water: 280 liters, can be drained electrically	2x lithium batteries - total 24V, 400 Ah
Electric heating under the mattress		1x inverter up to 3.5 kW 24V / 230 V voltage
Electric underfloor heating		4 x USB double sockets, 10 x Type C sockets, 230V

## BASE CONFIGURATION 65 UQX 4x4





On a 7.2-meter box length, an L-shaped seating group with an ottoman, a spacious corner kitchen, and a walk-through bathroom with a separate shower invite you to relax and live off the grid. A slide-out opens up the space around the spacious king-size-bed.

# ALBERTS 72 LKS

**KING SIZE BED**

**500 mm SLIDE OUT**

**FROLI BED SYSTEM**

**A/C READY**



**400Ah** LITHIUM BATTERIES

**3,5kW** INVERTER

**10X** 230V SOCKETS

**8X** USB SOCKETS



**800l** FRESH WATER

**280l** BLACK WATER

**280l** GRAY WATER

CHASSIS	BODY	LIVING AREA
4x4 Grounder chassis	Outer structure length: 7.200mm	L-shaped seating group with ottoman
S-Fahrerhaus Classic Space mit 2,3m Breite	Outer structure width: 2.500mm	Quilted upholstery fabric (choice of 3 colors)
Wheelbase: 4,800 mm	Outer structure height: 2.300mm	TV preparation behind the longitudinal bench seat
Total weight: 18.0 t	Interior standing height: 2.000mm	Table height adjustable
Engine: 530 hp EuroVI	Total vehicle height without attachments: 3.800mm	Seating group can be converted into a bed (1,400mm x 2,000mm)
Mercedes PowerShift 3, 12-speed automatic, off-road mode	Total vehicle length without attachments: 9.300mm	Preparation for air conditioning
3 x differential lock	Structure in 1.8mm GRP, multi-layered	Wall cabinets with LED lighting
4 x wheels in snap ring rims 14.00R20 Terrain	Bottom thickness: 100mm	Ceiling and walls covered in felt/fabric
1 x spare wheel in snap ring rim 14.00R20 Terrain	Wall thickness: 60mm	PVC floor covering throughout the vehicle (choice of 2 decors)
Cab color: MB 9764 pearl silver metallic	Ceiling thickness: 60mm	Flaps and drawers with soft close and electric locking
Color outer structure: MB 9764 pearl silver metallic	100mm GRP angle with corner caps all around the outside	TV preparation behind the longitudinal bench seat
Color of attachments: jet black gloss	PU foam insulation, cold bridges free, K value 0.045	
Rims: jet black	Windows, doors and flaps with double lip seals from EW3	
Diesel tank: 2x 290	Multiple locking with mushroom pins	
Additional USB double socket	Stainless steel handles on windows, flaps and body door	
	K value glass 1.0	
	Outbound skylight with roller blind and fly screen	
	Windows in construction with roller blinds and fly screens	
	Construction door with fly screen and roller blind on the window	
	Bedroom with hydraulic slide-out for 50cm more living space width	
	Structure on a galvanized four-point intermediate frame	
	Electric stairs in storage box	
BATHROOM	SLEEPING AREA	KITCHEN
800 x 1.200mm shower with glass partition	King size bed with 2,000 x 2,000mm sleeping area	Siemens refrigerator with freezer and app control
Rain shower with digital shower fitting	500mm slide-out in the bed area	2-burner induction hob
Ceramic water shredder toilet with bidet	Froli Mobil Plus mattresses	Franke undermount sink with kitchen tap
Ceramic countertop washbasin with faucet and base cabinet	Froli Star Mobile spring elements	Pharmacy cabinet, trash can in the pull-out
Wall cabinet with mirror and LED lighting	Sideboard with preparation for TV lift	Wall cabinets with LED lighting
Sliding door to the living room with embedded mirror	Wall cabinets with LED lighting	Ceiling and walls covered with felt
Ceiling and walls covered with felt	Floor-to-ceiling closet next to the bed	Flaps and drawers with soft close and electric locking
Flaps and drawers with soft close and electric locking	Bedside table with LED light	
Sliding door to the living room with embedded mirror	Sliding door to the bathroom	
	Preparation for air conditioning	
	Ceiling and walls covered with felt	
	Flaps and drawers with soft close and electric locking	
HEATING	WATER	ELECTRIC
Post Marine 10kW hot water, central heating boiler	Fresh water: 800 liters with pressure water pump	Mastervolt - CZone
Hot water radiators in the living area	Waste water: 280 liters, can be drained electrically	Monitoring and control via iPad and touchscreen
Hot water towel radiator in the bathroom	Black water: 280 liters, can be drained electrically	2x lithium batteries - total 24V, 400 Ah
Electric heating under the mattress		1 x inverter up to 3.5 kW 24V / 230 V voltage
Electric underfloor heating		4 x USB double sockets, 10 x Type C sockets, 230V

**BASE CONFIGURATION**  
**72 LKS**  
**4x4**





# ALBERTS

## 82 UEX

## 6x6

Our expedition vehicle, the Alberts 82UEX, combines comfort, functionality, and robustness in one vehicle, making it the optimal choice for explorers and adventurers. A spacious U-shaped seating area in the front section provides enough space for social evenings and shared meals. The large kitchen with additional storage space in the sideboard is a true paradise for cooking enthusiasts. Here, there is plenty of room to prepare delicious meals, whether for a simple picnic outdoors or a festive dinner for friends and family. The bathroom of the Alberts 82UEX features a separate shower, providing you with the opportunity to relax and refresh yourself no matter where your adventures take you. Above the rear garage, the 2-meter-long single beds offer a comfortable sleeping space and ensure restful nights.

2000mm X 2000mm

FROLI BED SYSTEM

4 kW A/C



1200Ah LITHIUM BATTERIES

10,5kW INVERTER

2,8kW PV-Anlage



800l FRESH WATER

240l BLACK WATER

240l GRAY WATER




CHASSIS	BODY	LIVING AREA
6x6 Grounder Chassis	Outer structure length: 7.200mm	U-shaped seating group
M-cab Classic Space with 2.3m width	Outer structure width: 2.500mm	Quilted leather upholstery
Wheelbase: 5,100mm + 1450mm	Outer structure height: 2.300mm	Furniture decor with leather and varnished
Total weight: 26.0 t	Interior standing height: 2.000mm	Chest of drawers with retractable TV
Engine: 530 hp EuroVI	Total vehicle height without attachments: 3.800mm	Seating group can be converted into a bed
Mercedes PowerShift 3, 12-speed automatic, off-road mode	Total vehicle length without attachments: 9.300mm	Table height adjustable
4x differential lock	Structure in 1.8mm GRP, multi-layered	Wall cabinets with LED lighting
6 x wheels in snap ring rims 14.00R20 Terrain	Bottom thickness: 100mm	Ambient lighting above the cabinets, warm white with COB-LED technology
1 x spare wheel in snap ring rim 14.00R20 Terrain	Wall thickness: 60mm	Ceiling and walls covered in felt/fabric
Cab color: MB 9764 pearl silver metallic	Ceiling thickness: 60mm	Real wood flooring
Color outer structure: MB 9764 pearl silver metallic	100mm GRP angle with corner caps all around the outside	Flaps and drawers with soft close and electric locking
Color of attachments: jet black gloss	PU foam insulation, cold bridges free, K value 0.045	
Rims: jet black	Windows, doors and flaps with double lip seals from EW3	
Diesel tank: 2x 390	Multiple locking with mushroom pins	
Additional USB double socket	Stainless steel handles on windows, flaps and body door	
Cab color: MB 9764 pearl silver metallic	K value glass 1.0	
Roof rack with branch deflector • For Arocs cab with Hella LED Slim Lightbar 50" • Necessary as a carrier for antennas. Painted version	Outbound skylight with roller blind and fly screen	
Exklusive Lederverkleidung im Fahrerhaus • Nappaleder schwarz mit silberner Kontrastziernaht an Decke, Wände und Türverkleidung	Windows in construction with roller blinds and fly screens	
Exclusive leather cockpit • Black nappa leather with silver contrasting topstitching	Construction door with fly screen and roller blind on the window	
Cab package • Leather steering wheel, multimedia cockpit, leather air conditioning, driver and passenger suspension seat • Automatic climate control • Hot water – additional heating • Mercedes Benz Mirror Cam	Structure on a galvanized four-point intermediate frame	
Automatic vehicle leveling • Hydraulic vehicle leveling system with max.: 400mm Lift • Controllable via app and touch panel • The vehicle can also be aligned horizontally off-road	Electric stairs in storage box	
Front protection bar • Front protection grill made of stainless steel with 2 LED additional headlights • Polished stainless steel or black coated	Outdoor kitchen, large in storage box • Stainless steel outdoor kitchen with 2x drawers • Stainless steel sink with household faucet, • 2-burner induction hob and electric grill plate • Teak worktop and drawer fronts	
Hydraulic underrun protection • Instead of the standard underrun protection, a hydraulically foldable underrun protection is installed • painted version	Panel on the driver's cab Privacy screen between the driver's cab and the body, painted	
rims • 7x Processed Hutchinson Beadlock aluminum rims 20"	central locking system • Electric locking of the storage boxes, body door and storage space	
Tire pressure control system 6x6 • STIS Preset 4/1 for Arocs 6x6	Lighting storage boxes • Storage boxes inside with LED lighting, can be switched separately	
Painting rims • Desired color for the rims"	Large rear carrier • Hydraulic lift with app control • Can be lowered to the ground, platform can be folded up • For 1 x quad, 2 x motorcycle or small car • Spare wheel mounted vertically or under platform • Galvanized, maximum load: 1100 kg	
Paint ZWR, rear carrier and UFS • Rear carrier intermediate frame and standard underrun protection painted		
Side panel • Tank panels with lift hinges in a storage box design • Visor panel on the silencer, painted		
Performance increase • Increase in engine power from 60 – 150 HP • Only permitted in third countries!		

## BASE CONFIGURATION 82 UEX 6x6

SLEEPING AREA	BATHROOM	KITCHEN
bed with 2,000 x 2,000mm sleeping area	900 x 900mm shower with glass partition	Work surface in exposed concrete (gray mottled)
Froli Mobil Plus mattresses	Rain shower with digital shower fitting	Siemens refrigerator with freezer and app control
Froli Star Mobile spring elements	Ceramic water shredder toilet with bidet	Bora 4-burner induction hob with integrated extractor hood
Wall cabinets with LED lighting	Ceramic countertop washbasin with faucet and base cabinet	Fisher & Paykel integrated drawer dishwasher up to 6 place settings
Sliding door to the bathroom	Work surface in exposed concrete (gray mottled)	Siemens oven with microwave, controllable via app
Air conditioning 4 KW, individually adjustable	Siemens washer dryer, controllable via app	Franke undermount stainless steel sink with kitchen tap
Ambient lighting above the cabinets, warm white with COB-LED technology	Wall cabinet with mirror and LED lighting	Apothecary cabinet, china cabinet, trash can in the pull-out
Ceiling and walls covered with felt	Sliding door to the living room with embedded mirror	WMF Set1, cutlery 30 pieces, pots and pans 7 pieces, kitchen knives 6 pieces
Flaps and drawers with soft close and electric locking	Ambient lighting above the cabinets, warm white with COB-LED technology	WMF Set2, 30-piece plate series Compact from Seltmann-Weiden, WMF spice mill set, WMF glasses for 8 people, WMF mug for 6 people, Profi Plus kitchen helper set 6 pieces, WMF Gourmet kitchen bowl set 4 pieces
	Ceiling and walls covered with felt	WMF Gourmet kitchen bowl set 4 pieces
	Flaps and drawers with soft close and electric locking	Cutlery insert in the drawer, matching our cutlery set
		Dish insert in the drawer, matching our plate set
		Wall cabinets with LED lighting
		Ambient lighting above the cabinets, warm white with COB-LED technology
		Ceiling and walls covered with felt
		Flaps and drawers with soft close and electric locking

## BASE CONFIGURATION 82 UEX 6x6

HEATING	WATER	ELECTRIC
Post Marine 10kW hot water, central heating boiler	Fresh water: 800 liters with pressure water pump	Mastervolt - CZone
Hot water radiators in the living area	Waste water: 240 liters, can be drained electrically	Monitoring and control via iPad and touchscreen
Hot water towel radiator in the bathroom	Black water: 240 liters, can be drained electrically	iPad10, tablet holder in the driver's cab, with mirroring of the CZone operation For operating and controlling the body while driving
Electric heating under the mattress	Water treatment plant	6 x lithium batteries - total 24V, 1200 Ah, 12000Wh
Electric underfloor heating	<ul style="list-style-type: none"> <li>For the treatment of surface water into drinking water (well, river or inland lake water)</li> <li>3-stage cascade filtration, 1x activated carbon filter</li> <li>2 x UV disinfection unit, additional filter in front of the fittings</li> <li>Automatic disinfection pump for biofilm removal &amp; system disinfection</li> <li>Pump, in a case, with suction hose for floating removal and 15 m roll hose</li> </ul>	3 x inverters up to 10.5 kW 24V / 230 V voltage
		Charge controller for the starter batteries
		Charging converter 110-203V
		Photovoltaic system 2.8kW mounted on roof rails
		Diesel vehicle generator large
		<ul style="list-style-type: none"> <li>Fischer Panda 8000x PVMV-N 8kW</li> <li>Indispensable when using the air conditioning system continuously</li> <li>Electrical redundancy</li> </ul>
		Second alternator 24V 150Ah
		Starlink antenna with router
		Automatic satellite television antenna and receiver





With an 8.2-meter cabin length, featuring a spacious living area and dinette for 4 people. The bathroom shines with a separate shower and a TV set above the sink. With the outdoor kitchen built into the storage compartment, there's nothing stopping a lovely barbecue evening.

# ALBERTS

# 82 LDX 6x6

2000mm X 2000mm

FROLI BED SYSTEM

A/C READY



400Ah LITHIUM BATTERIES

3,5kW INVERTER



900l FRESH WATER

110l BLACK WATER

240l GRAY WATER



CHASSIS	BODY	LIVING AREA
6x6 Grounder Chassis	Outer structure length: 8.200mm	L-shaped seating group
M-cab Classic Space with 2.3m width	Outer structure width: 2.500mm	Quilted upholstery fabric (choice of 3 colors)
Wheelbase: 5,100mm + 1450mm	Outer structure height: 2.300mm	TV preparation behind the longitudinal bench seat
Total weight: 26.0 t	Interior standing height: 2.000mm	Sofa table in the pull-out
Engine: 530 hp EuroVI	Total vehicle height without attachments: 3.800mm	Table height adjustable
Mercedes PowerShift 3, 12-speed automatic, off-road mode	Total vehicle length without attachments: 12.300mm	Seating group can be converted into a bed
4x differential lock	Structure in 1.8mm GRP, multi-layered	Preparation for air conditioning
6 x wheels in snap ring rims 14.00R20 Terrain	Bottom thickness: 100mm	Wall cabinets with LED lighting
1 x spare wheel in snap ring rim 14.00R20 Terrain	Wall thickness: 60mm	Ceiling and walls covered in felt/fabric
Cab color: MB 9764 pearl silver metallic	Ceiling thickness: 60mm	PVC floor covering throughout the vehicle (choice of 2 decors)
Color outer structure: MB 9764 pearl silver metallic	100mm GRP angle with corner caps all around the outside	Flaps and drawers with soft close
Color of attachments: jet black gloss	PU foam insulation, cold bridges free, K value 0.045	Pushlock locking
Rims: jet black	Windows, doors and flaps with double lip seals from EW3	
Diesel tank: 2x 290	Multiple locking with mushroom pins	
Additional USB double socket	Stainless steel handles on windows, flaps and body door	
Aluminum storage boxes mounted all around	K value glass 1.0	
	Outbound skylight with roller blind and fly screen	
	Windows in construction with roller blinds and fly screens	
	Construction door with fly screen and roller blind on the window	
	Structure on a galvanized four-point intermediate frame	
	Electric stairs in storage box	
BATHROOM	SLEEPING AREA	KITCHEN
Corner shower with glass partition	King size bed with 2,000 x 2,000mm sleeping area	Siemens refrigerator with freezer and app control
Rain shower with digital shower fitting	Froli Mobil Plus mattresses	2-burner induction hob
Ceramic water shredder toilet with bidet	Froli Star Mobile spring elements	Dinette for 2-6 people
Ceramic countertop washbasin with faucet and base cabinet	bed cupboard	Panoramic window in the dinette
Wardrobes	Preparation for air conditioning	Stainless steel sink with kitchen tap
Wall cabinet with mirror and LED lighting	Ceiling and walls covered with felt	Pharmacy cabinet, trash can in the pull-out
Door to the living room with embedded mirror	Flaps and drawers with soft close	Wardrobe with drawers
Ceiling and walls covered with felt	Pushlock locking	Wall cabinets with LED lighting
Flaps and drawers with soft close		Ceiling and walls covered with felt
		Flaps and drawers with soft close
		Pushlock locking
HEIZUNG	WASSER	ELEKTRIK
Post Marine 10kW hot water, central heating boiler	Fresh water: 900 liters with pressure water pump	Mastervolt - CZone
Hot water radiators in the living area	Waste water: 240 liters, can be drained electrically	Monitoring and control via iPad and touchscreen
Hot water towel radiator in the bathroom	Black water: 110 liters, can be drained electrically	2x lithium batteries - total 24V, 400 Ah
Electric heating under the mattress		1 x inverter up to 3.5 kW 24V / 230 V voltage
Electric underfloor heating		

## BASE CONFIGURATION 82 LDX 6x6





# ALBERTS

## 82 LEH

### 6x6

The Alberts 82LEH with its pop-up roof and lounge on the rooftop terrace offers a unique combination of functionality and luxury. The combination of a rugged off-road vehicle and high-quality materials makes the Alberts 82LEH a reliable companion for expeditions of all kinds.

The pop-up roof creates a comfortable standing height inside the vehicle, while the rooftop terrace with kitchen and lounge serves as an impressive feature, allowing occupants to fully enjoy the surrounding landscape. The opportunity to relax on the roof and enjoy the view gives the Alberts 82LEH a unique dimension of luxury that few expedition vehicles can offer.

The vehicle's equipment is characterized by luxury and technology, making the stay during expeditions a special experience. High-quality materials, thoughtful design, and comfortable amenities contribute to making travelers feel at home even far away from civilization.



2000mm X 2000mm

FROLI BED SYSTEM

4 kW A/C



1200Ah LITHIUM BATTERIES

10,5kW INVERTER

2,8kW PV-SYSTEM



800l FRESH WATER

240l BLACK WATER

240l GRAY WATER

CHASSIS	BODY	LIVING AREA
6x6 Grounder Chassis	Outer structure length: 8.200mm	L-shaped seating group
M-cab Classic Space with 2.3m width	Outer structure width: 2.500mm	Quilted leather upholstery
Wheelbase: 5.100mm + 1450mm	Outer structure height: 2.300mm	Furniture decor with leather and varnished
Total weight: 26.0 t	Interior standing height: 2.000mm	Chest of drawers with retractable TV
Engine: 530 hp EuroVI	Total vehicle height without attachments: 3.800mm	Seating group can be converted into a bed
Mercedes PowerShift 3, 12-speed automatic, off-road mode	Total vehicle length without attachments: 12.000mm	Table height adjustable
4x differential lock	Structure in 1.8mm GRP, multi-layered	Wall cabinets with LED lighting
6 x wheels in snap ring rims 14.00R20 Terrain	Bottom thickness: 100mm	Ambient lighting above the cabinets, warm white with COB-LED technology
1 x spare wheel in snap ring rim 14.00R20 Terrain	Wall thickness: 60mm	Stairs to the roof terrace
Cab color: MB 9764 pearl silver metallic	Ceiling thickness: 60mm	Ceiling and walls covered in felt/fabric
Color outer structure: MB 9764 pearl silver metallic	100mm GRP angle with corner caps all around the outside	Real wood flooring
Color of attachments: jet black gloss	PU foam insulation, cold bridges free, K value 0.045	Flaps and drawers with soft close and electric locking
Rims: jet black	Windows, doors and flaps with double lip seals from EW3	
Diesel tank: 2x 390	Multiple locking with mushroom pins	
Additional USB double socket	Stainless steel handles on windows, flaps and body door	
Aluminum storage boxes mounted all around	K value glass 1.0	
Roof rack with branch deflector • For Arocs cab with Hella LED Slim Lightbar 50" • Necessary as a carrier for antennas. Painted version	Outbound skylight with roller blind and fly screen	
Exclusive leather trim in the driver's cab • Black nappa leather with silver contrasting topstitching on the ceiling, walls and door panels	Windows in construction with roller blinds and fly screens	
Exclusive leather cockpit • Black nappa leather with silver contrasting topstitching	Body entrance door with fly screen and roller blind on the window	
Cab package • Leather steering wheel, multimedia cockpit, leather air conditioning, driver and passenger suspension seat • Automatic climate control • Hot water - additional heating • Mercedes Benz Mirror Cam	Hydraulically lifting roof with roof terrace	
Automatic vehicle leveling • Hydraulic vehicle leveling system with max.: 400mm Lift • Controllable via app and touch panel • The vehicle can also be aligned horizontally off-road	Structure on a galvanized four-point intermediate frame	
Front protection bar • Front protection grill made of stainless steel with 2 LED additional headlights • Polished stainless steel or black coated	Electric stairs in storage box	
Hydraulic underrun protection • Instead of the standard underrun protection, a hydraulically foldable underrun protection is installed • painted version	Outdoor kitchen, large in storage box • Stainless steel outdoor kitchen with 2x drawers • Stainless steel sink with household faucet, • 2-burner induction hob and electric grill plate • Teak worktop and drawer fronts	
rims • 7x Processed Hutchinson Beadlock aluminum rims 20"	Panel on the driver's cab • Panel between the driver's cab and the body, painted	
Tire pressure control system 6x6 • STIS Preset 4/1 for Arocs 6x6	central locking system • Electric locking of the storage boxes, body door and storage space	
Painting rims • Desired color for the rims"	Lighting storage boxes • Storage boxes inside with LED lighting, can be switched separately	
Paint intermediate frame, rear carrier and underrun protection • Rear carrier intermediate frame and standard underrun protection painted	Large rear carrier • Hydraulic lift with app control • Can be lowered to the ground, platform can be folded up • For 1 x quad, 2 x motorcycle or small car • Spare wheel mounted vertically or under platform • Galvanized, maximum load: 1100 kg	
Side panel • Tank panels with lift hinges in a storage box design • Visor panel on the silencer, painted		
Power increase • Increase in engine power from 60 - 150 HP • Only permitted in third countries!		

## BASE CONFIGURATION 82 LEH 6x6

KITCHEN	BATHROOM	SLEEPING AREA
Work surface in exposed concrete (gray mottled)	900 x 900mm shower with glass partition	bed with 2,000 x 2,000mm sleeping area
Siemens refrigerator with freezer and app control	Rain shower with digital shower fitting	Froli Mobil Plus mattresses
Bora 4-burner induction hob with integrated extractor hood	Ceramic water shredder toilet with bidet	Froli Star Mobile spring elements
Fisher & Paykel integrated drawer dishwasher up to 6 place settings	Ceramic countertop washbasin with faucet and base cabinet	Wall cabinets with LED lighting
Siemens oven with microwave, controllable via app	Work surface in exposed concrete (gray mottled)	Sliding door to the bathroom
Franke undermount stainless steel sink with kitchen tap	Siemens washer dryer, controllable via app	Air conditioning 4 KW, individually adjustable
Apothecary cabinet, china cabinet, trash can in the pull-out	Wall cabinet with mirror and LED lighting	Ambient lighting above the cabinets, warm white with COB-LED technology
WMF Set1, cutlery 30 pieces, pots and pans 7 pieces, kitchen knives 6 pieces	Sliding door to the living room with embedded mirror	Storage space under the bed
WMF Set2, 30-piece plate series Compact from Seltmann-Weiden, WMF spice mill set, WMF glasses for 8 people, WMF mug for 6 people, Profi Plus kitchen helper set 6 pieces, WMF Gourmet kitchen bowl set 4 pieces	Ambient lighting above the cabinets, warm white with COB-LED technology	Ceiling and walls covered with felt
Cutlery insert in the drawer, matching our cutlery set	Ceiling and walls covered with felt	Flaps and drawers with soft close and electric locking
Dish insert in the drawer, matching our plate set	Flaps and drawers with soft close and electric locking	
Wall cabinets with LED lighting		
Ambient lighting above the cabinets, warm white with COB-LED technology		
Ceiling and walls covered with felt		
Flaps and drawers with soft close and electric locking		

## BASE CONFIGURATION 82 LEH 6x6

ELECTRIC	WATER	HEATING
Mastervolt - CZone	Fresh water: 800 liters with pressure water pump	Post Marine 10kW hot water, central heating boiler
Monitoring and control via iPad and touchscreen	Waste water: 240 liters, can be drained electrically	Hot water radiators in the living area
iPad10, tablet holder in the driver's cab, with mirroring of the CZone operation For operating and controlling the body while driving	Black water: 240 liters, can be drained electrically	Hot water towel radiator in the bathroom
6 x lithium batteries - total 24V, 1200 Ah, 12000Wh	Water treatment plant	Electric heating under the mattress
3 x inverters up to 10.5 kW 24V / 230 V voltage	<ul style="list-style-type: none"> <li>For the treatment of surface water into drinking water (well, river or inland lake water)</li> <li>3-stage cascade filtration, 1x activated carbon filter</li> <li>2 x UV disinfection unit, additional filter in front of the fittings</li> <li>Automatic disinfection pump for biofilm removal &amp; system disinfection</li> <li>Pump, in a case, with suction hose for floating removal and 15 m roll hose</li> </ul>	Electric underfloor heating
Charge controller for the starter batteries		
Charging converter 110-230V		
Photovoltaic system 2.8kW mounted on roof rails		
Diesel vehicle generator large		
<ul style="list-style-type: none"> <li>Fischer Panda 8000x PVMV-N 8kW</li> <li>Indispensable when using the air conditioning system continuously</li> <li>Electrical redundancy</li> </ul>		
Second alternator 24V 150Ah		
Starlink antenna with router		
Automatic satellite television antenna and receiver		
360° birdview camera with 10" monitor and panic lighting all around		



# EXTERIOR

## SOLAR POWER

The optional PV systems are installed on a versatile roof rack.

## CAB ACCESS

The cab can be accessed through a climb-through access surrounded by a bellows to keep dry on rainy days.

## UNDER BED GARAGE


On most vehicles, a storage space is set beneath the bed with enough space for bicycles, surfboards, or even a quad carrier.

## SUBFRAME


The structure is set on a galvanized four-point subframe to separate the forces occurring in the vehicle's chassis from the GRP structure.

## SECOND DIESEL TANK

The manually switchable auxiliary diesel tank ensures that you can always return to your last petrol station if you can't make it to your set destination or simply double the travelable distance.



# GLASS REINFORCED PLASTIC STRUCTURE



## INSULATING FOAM

The cold bridge-free insulating Polyurethane foam, with a K factor of 0.45, has a 60mm wall and ceiling thickness, and a 100mm floor, ensuring to keep the heat in or out depending on the situation.

## EXTERIOR GRP SHELL

The exterior GRP shell is made of a 1.8mm multi-layered, extra-durable compound that will withstand the test of time and the rigors of an expedition in the harshest conditions.

## INTERIOR GRP SHELL

The interior GRP shell is made of a 1.8mm multi-layered, smooth compound that serves as the perfect base to mount all accessories, cabinets, and interior features.

# PLUMBING AND ELECTRICAL INSTALLATION

## BALANCING

The heavy water tanks and batteries are kept as close to the axles and ground as possible to maintain the vehicle's balance.

## FAUCET AND SINK

The faucets and sinks, like all other installations, are household appliances of the highest standard.

## WATER TREATMENT

An optional water treatment plant and desalination system make finding water a problem of the past.

## AIR CONDITIONING

All vehicles can be equipped with multiple A/C setups that can be separately controlled.

## WATER TANKS

The water tanks are constructed from welded polyethylene and are equipped with inspection openings to facilitate easy cleaning in case they become dirty.

## GENERATOR


Both the large and small diesel generators provide redundancy in the electrical system, ensuring that the only supply needed to keep you off-grid is the food in the fridge.

## HEATING

The well-known Post Marine heater, commonly used in the yacht industry, with a central boiler, heats up the interior through high-quality water radiators. It is supplemented by electrical underfloor heating and an electric heating mat under the mattresses.

## PLUMBING

All plumbing is meticulously planned in CAD before vehicle assembly, ensuring that no rubbing can cause leaks or holes. All components meet yacht standards.



# OPTIONAL EQUIPMENT



Leather upholstery with contrast stitching  
(multiple colors available)

**SA11000**  
**upholstery**



Real wood flooring  
(2 decors selectable)

**SA12000**  
**Floor**

Bronze flooring  
(2 patterns selectable)



Granite  
Color: Black Nero Impala


**SA13000**  
**Countertops**  
**in kitchen and**  
**bathroom**

Exposed concrete  
Color: Gray-white mottled




Bora 4-burner induction cooktop with integrated extractor system

**SA14100**  
**induction cooktop**  
**with extractor hood**



Siemens oven with microwave, controllable via app

**SA14200**  
**oven with**  
**microwave**



Siemens iQ500 washer-dryer  
10/6 kg 1400 rpm  
controllable via app

**SA14300**  
**washer-dryer**




3 kg laundry, washing machine mounted on the cabinet

**SA14400**  
**washing machine**




Fisher & Paykel  
Integrated drawer dishwasher  
Up to 6 place settings

**SA14500**  
**dishwasher**



Ambient lighting above the cabinets, warm white with COB-LED technology.

**SA18000**  
**ambient lighting**



Ambient lighting as baseboard lighting, warm white with COB-LED technology.

**SA19000**  
**Ambient lighting**





Canopy under the ceiling  
with ambient lighting  
Warm white with COB-LED  
technology

**SA20000**  
**canopy**




Pull-down bed with over-  
head cabinet above the  
seating area  
1,400 x 2,000mm sleeping  
area. Froli mattress  
Froli Star Mobil-System  
Heating under the mattress

**SA21000**  
**electric lifting bed**



Samsung Smart TV including lift  
system installed in the cabinet

**SA22000**  
**TV lift system**  
**cabinet**



Samsung Smart-TV inkl. Liftsys-  
tem hinter der Rücklehne der  
Sitzgruppe

**SA23000**  
**TV lift system**  
**seating area**



Roof window with electric  
opening via switch or remote  
control

**SA24000**  
**Electric roof window**



Cutlery tray in the drawer,  
matching our cutlery set

**SA25100**  
**Cutlery insert**



Dish insert in the drawer,  
matching our plate set

**SA25200**  
**Dish insert**



30-piece cutlery set, 7-piece  
pots and pans set, 6-piece  
kitchen knife set

**SA25300**  
**WMF-Set 1**



30-piece plate set from the  
Compact series by Seltmann-  
Weiden, WMF spice mill set, WMF  
glasses for 8 people, WMF mugs  
for 6 people, Profi Plus kitchen  
utensil set (6 pieces), WMF Gourmet  
kitchen bowl set (4 pieces)

**SA25400**  
**WMF-Set 2**




Stainless steel outdoor kitchen  
with 2 drawers, stainless steel  
sink, household faucet, 2-burner  
induction cooktop, and electric  
griddle. Countertop and drawer  
fronts made of teak wood.

**SA28000**  
**Outdoor kitchen,**  
**large in the storage**  
**compartment**




Stainless steel outdoor kitchen  
with 1 drawer, stainless steel  
sink, household faucet, 2-burner  
induction cooktop. Countertop and  
drawer fronts made of teak wood.

**SA29000**  
**Outdoor kitchen,**  
**small in the storage**  
**compartment**




Hydraulic foldable exterior  
terrace integrated into the side  
wall, electric locking, extendable  
to 2.4m x 2.1m, painted

**SA31000**  
**Exterior terrace in**  
**the side wall**




Electric awning mounted on the side wall of the compartment

**SA32100**  
**Awning**



On the sidewall of the living unit, in a keder rail

**SA32200**  
**Sunshade sail**



On the sidewall of the living unit, in a keder rail

**SA32300**  
**windscreen**



Storage compartments inside with LED lighting, separately switchable

**SA35000**  
**Storage compartment lighting**



Electric locking of the storage compartments, entry door, and storage space

**SA36000**  
**Central locking**



Second 24V 150Ah alternator

**SA37000**  
**Second alternator**



2 x additional lithium batteries  
Total 24V, 400Ah, 12000Wh  
1 x additional inverter  
3.5 kW, 24V / 230V voltage

**SA38000**  
**400Ah energy package**



1.2kW PV system including inverter on roof rack

**SA39100**  
**1.2kW PV package**



2,2kW PV system including inverter on roof rack

**SA39200**  
**2.2kW PV package**



2,8kW PV system including inverter on roof rack

**SA39300**  
**2.8kW PV package**



Charging converter 110-230V for shore connection in America

**SA42000**  
**charging converter**



Charge controller for the chassis starter batteries  
So that the vehicle is always ready to start

**SA42100**  
**Starter battery charge controller**



4kW split air conditioning system controllable via control panel, indoor unit with 3 air outlets. Compressor located under the body to reduce noise.

**SA44000**  
**4kW air conditioning system in the body**



WhisperPower Piccolo5, 3.5 kW Indispensable if the air conditioning system is being used continuously. Electrical redundancy

**SA50000**  
**Diesel vehicle generator small**




Installation of the automatic mobile Starlink antenna and Wi-Fi router Worldwide internet, streaming, and phone service

**SA45100**  
**Starlink antenna installation**



For the treatment of surface water into drinking water (well, river, or inland lake water) 3-stage cascade filtration, 1x activated carbon filter 2 x UV disinfection unit, additional filter in front of the fittings Automatic disinfection pump for biofilm removal & system disinfection Pump, in a case, with suction hose for floating removal and 15 m roll hose

**SA51000**  
**Water treatment plant**



Automatic satellite TV antenna and receiver including installation

**SA45200**  
**Satellite television antenna**



For desalination of seawater into drinking water quality

**SA52000**  
**Saltwater desalination system**



360° birdview camera with 10" monitor and panic lighting all around Optimum maneuvering thanks to all-round visibility on the vehicle

**SA47000**  
**Camerasystem**



For Arocs cab with Hella LED Slim Lightbar 50" Necessary as a carrier for antennas, painted

**SA53000**  
**Roof rack with branch deflector**



iPad 10, tablet holder in the driver's cab, with mirroring of the CZone operation For operating and controlling the body while driving

**SA47500**  
**iPad 10 with mirroring of the controls**



Tank panels with lift hinges in storage box design. Visible panel on the silencer, painted

**SA54000**  
**Side panel**



Fischer-Panda 8000x PVMV-N 8 kW Indispensable if the air conditioning system is being used continuously. Electrical redundancy

**SA49000**  
**Diesel vehicle generator large**



Partition panel between cab and compartment, painted

**SA55000**  
**Panel on the driver's cab**



Front protection grille made of stainless steel with 2 additional LED headlights  
Polished stainless steel or black coated

**SA59000**  
**Front protection bar**



Instead of the standard underbody protection, a hydraulically retractable underbody protection will be installed, painted

**SA60000**  
**Hydraulic underbody protection**



Galvanized carrier for the spare tire, mounted at the rear. Wheel can be lowered with a hand winch.

**SA61000**  
**Spare tire carrier at the rear**




Hydraulic lift with app control.  
Lowerable to the ground.  
Platform foldable upward. For 1x quad, 2 x motorcycles, or small car.  
Spare tire mounted vertically or underneath the platform.  
Galvanized, maximum load capacity: 1100 kg.

**SA62000**  
**Large rear carrier**



Wide flap on back door on the right side. Interior with airline rails, 230V socket and lighting  
Top edge of box flush with the roof, ventilation grille in the flap  
Painted in body color, box removable

**SA63000**  
**Aluminum storage box for large rear carrier**




Hydraulic lift with app control Can be lowered to the ground Platform can be folded up For 1 x motorcycle 1 x vertical spare wheel Galvanized, maximum load: 450 kg

**SA64000**  
**small rear carrier**




Wide flap on the back Door on the right side Interior with airline rails, 230V socket and lighting Top edge of the box flush with the roof, exhaust grille in the flap Painted in body color, box removable

**SA65000**  
**Aluminum storage box for rear carrier, small**



Bicycle lift and rail system for 2 bicycles, 35 kg each, in the storage space

**SA68000**  
**Bicycle system in the rear garage**



Holding system for a quad with ramps and winch in the storage space

**SA69000**  
**Quad carrier in the rear garage**



Extendable and electrically lowerable shelving system for Euro storage boxes  
Various adaptations possible

**SA70000**  
**Shelving system in the storage space**



Hydraulic vehicle leveling system, controllable via app and touch panel. Vehicle can be leveled off-road

**SA75000**  
**Automatic vehicle leveling**



Leather steering wheel, multimedia cockpit, leather climate control, driver and passenger suspension seats, automatic air conditioning, parking heater, Mercedes-Benz Mirror Cam

**SA76000**  
**Cab package**



Black nappa leather with silver contrasting topstitching on the ceiling, walls and door panels

**SA77000**  
**Exclusive leather trim in the driver's cab**




Black nappa leather with silver contrasting topstitching

**SA78000**  
**Exclusive leather cockpit**



Driven and steered second rear axle to reduce the turning circle  
Up to 18° steering angle

**SA79000**  
**Rear axle steering for 6×6 and 8×8**



20" Processed Hutchinson Beadlock Aluminium Rims

**SA70000**  
**Rims**



STIS Preset 4/1 for Arocs 4×4

**SA81100**  
**Tire pressure control system 4×4**




STIS Preset 4/1 for Arocs 6×6

**SA81200**  
**Tire pressure control system 6×6**




STIS Preset 4/1 for Arocs 8×8

**SA81300**  
**Tire pressure control system 8×8**



Conversion to Euro 3 emissions standard  
Programming the AdBlue system and removing the particle filter. A retrofit to Euro 6 is possible.  
Only permitted in third countries!

**SA84000**  
**Euro 3 emissions standard**




Increase in engine power from 60 – 150 HP  
Only permitted in third countries!

**SA85000**  
**Power increase**




Desired colors for the driver's cab, living area and add-on parts

**SA86100**  
**Special painting**



desired color for the Rims

**SA86200**  
**Painted Rims**



Rear carrier intermediate frame and standard under-run protection painted

**SA86300**  
**Painted rear carrier, intermediate frame and under-run protection**



Instead of the Arocs 4x4, an Arocs 6x6 is delivered.  
Wheelbase changes to: 5000mm + 1450mm  
The cab equipment remains the same  
The extra axle eliminates some storage boxes

**SA89000**  
**Vehicle version in 6x6**

**All information has been provided to the best of our knowledge and belief.**

**The mention of brand names and protected trademarks is purely descriptive.**



depending on agreement

**SA89200**  
**Vehicle version in 8x8**

**All mentioned brand names and protected trademarks are the property of their respective owners.**

**They are used for descriptive purposes and for identifying product and quality, and are not intended to infringe upon any rights.**



Hydraulic winch mounted on the vehicle frame

**SA90000**  
**Winch on the front of the vehicle**

**The brand names used for description as well as the trademark (trademark, image trademarks) are used for identification purposes only and remain the property of the owner.**

**All images shown are example images and may contain optional equipment available at an additional cost.**



Special requests are possible by arrangement

**special wishes**

## VISIT US AT OUR MANUFACTURING FACILITIES



🌐 52° 57' 45.31" N, 8° 24' 4.99" E



Alberts Allradtechnik  
Heidkamper Weg 8a  
D – 27801 Neerstedt




SALE +49 155 10259033  
GENERAL +49 4432 9128758



SALE [sale@alberts-allradtechnik.de](mailto:sale@alberts-allradtechnik.de)  
GENERAL [info@alberts-allradtechnik.de](mailto:info@alberts-allradtechnik.de)



[www.alberts-allradtechnik.de](http://www.alberts-allradtechnik.de)

 Made in Germany